

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|-----------------------|--|--|-----------|----------------------------------|
| M002 | Chrysophanic acid | Interleukin-8 | CXCL8 | Dry eye syndrome |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| | | Epidermal growth factor receptor | EGFR | Dry eye syndrome |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |
| | | Intercellular adhesion molecule 1 | ICAM1 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-10 | IL10 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-17A | IL17A | Dry eye syndrome |
| | | Interleukin-4 | IL4 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Myeloperoxidase | MPO | Dry eye syndrome |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | Serum paraoxonase/arylesterase 1 | PON1 | Dry eye syndrome |
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Telomerase reverse transcriptase | TERT | Dry eye syndrome |
| Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis | | |
| M004 | Chrysoobtusin | Arachidonate 5-lipoxygenase | ALOX5 | Conjunctivitis |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Nuclear receptor subfamily 0 group B member 1 | NR0B1 | Conjunctivitis |
| M027 | Cassitoroside | Protein S100-B | S100B | Conjunctivitis |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | GTPase NRas | NRAS | Dry eye syndrome |
| M028 | Physcion 8-gentiobioside | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| M032 | 1-desmethylobtusin | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| | | Arachidonate 5-lipoxygenase | ALOX5 | Conjunctivitis |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| M036 | 1,3-dihydroxy-6-methoxy-7-methyl anthraquinone | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | ATP-binding cassette sub-family C member 2 | ABCC2 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| | | Interleukin-2 | IL2 | Dry eye syndrome |

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|-------------------------------------|---|--|-----------|----------------------------------|
| M043 | Obtusifolin-2-O-β-D-(6'-O-acetyl) glucopyranoside | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| M048 | 1,7-dimethoxyl-2,8-dihydroxyl-3-methylanthraquinone-2-O-β-D-glucopyranoside | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | GTPase NRas | NRAS | Dry eye syndrome |
| | | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| M051 | 2,8-dimethoxyl-1,6-dihydroxy-3-methylanthraquinone-6-O-β-D-glucopyranoside | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | GTPase NRas | NRAS | Dry eye syndrome |
| | | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| M057 | Isorubrofusarin 10-gentiobioside | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| M060 | Torosachryson | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis |
| | | Calmodulin-1 | CALM1 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| M061 | Cassialactone | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| M067 | Galangin | ATP-dependent translocase ABCB1 | ABCB1 | Dry eye syndrome, Conjunctivitis |
| | | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis |
| | | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | Androgen receptor | AR | Dry eye syndrome |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| | | Cytochrome P450 1A2 | CYP1A2 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| | | Cytochrome P450 2C8 | CYP2C8 | Conjunctivitis |
| | | Cytochrome P450 2C9 | CYP2C9 | Dry eye syndrome, Conjunctivitis |
| | | Cytochrome P450 2E1 | CYP2E1 | Conjunctivitis |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |
| | | Intercellular adhesion molecule 1 | ICAM1 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-13 | IL13 | Dry eye syndrome |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome |
| | | Interleukin-4 | IL4 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis | | |
| Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis | | |
| Nitric oxide synthase, inducible | NOS2 | Conjunctivitis | | |

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|--------|----------------|---|-----------|----------------------------------|
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Tyrosine-protein phosphatase non-receptor type 22 | PTPN22 | Dry eye syndrome |
| | | Transforming growth factor beta-1 proprotein | TGFB1 | Dry eye syndrome |
| | | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis |
| | | DNA topoisomerase 2-alpha | TOP2A | Conjunctivitis |
| M071 | Stigmasterol | Bile salt export pump | ABCB11 | Conjunctivitis |
| | | Multidrug resistance-associated protein | ABCC4 | Conjunctivitis |
| | | Alpha-1A adrenergic receptor | ADRA1A | Conjunctivitis |
| | | Alpha-1B adrenergic receptor | ADRA1B | Conjunctivitis |
| | | Alpha-2A adrenergic receptor | ADRA2A | Conjunctivitis |
| | | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | Androgen receptor | AR | Dry eye syndrome |
| | | Muscarinic acetylcholine receptor M1 | CHRM1 | Conjunctivitis |
| | | Muscarinic acetylcholine receptor M2 | CHRM2 | Conjunctivitis |
| | | Muscarinic acetylcholine receptor M3 | CHRM3 | Conjunctivitis |
| | | Alpha-crystallin B chain | CRYAB | Cataract |
| | | Steroid 17-alpha-hydroxylase/17,20 | CYP17A1 | Conjunctivitis |
| | | Aromatase | CYP19A1 | Conjunctivitis |
| | | Ephrin type-A receptor 2 | EPHA2 | Cataract |
| | | Estrogen receptor | ESR1 | Dry eye syndrome |
| | | 5-hydroxytryptamine 2A receptor | HTR2A | Conjunctivitis |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | NPC intracellular cholesterol transporter 1 | NPC1 | Dry eye syndrome |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Corticosteroid-binding globulin | SERPINA6 | Conjunctivitis |
| | | Sex hormone-binding globulin | SHBG | Conjunctivitis |
| | | Sonic hedgehog protein | SHH | Dry eye syndrome |
| | | Sodium-dependent noradrenaline transporter | SLC6A2 | Conjunctivitis |
| | | Sodium-dependent dopamine | SLC6A3 | Conjunctivitis |
| | | 3-oxo-5-alpha-steroid 4-dehydrogenase | SRD5A2 | Conjunctivitis |
| | | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis |
| | | UDP-glucuronosyltransferase 2B7 | UGT2B7 | Conjunctivitis |
| | | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | Fatty aldehyde dehydrogenase (ALDH3A2) | ALDH3A2 | Dry eye syndrome |
| | | C-C motif chemokine 2 | CCL2 | Dry eye syndrome |
| | | Interleukin-8 | CXCL8 | Dry eye syndrome |
| | | Tumor necrosis factor receptor superfamily member 6 | FAS | Dry eye syndrome |
| | | Fatty acid synthase | FASN | Dry eye syndrome |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|--------|----------------|--|-----------|----------------------------------|
| M072 | Aloe emodin | Intercellular adhesion molecule 1 | ICAM1 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Telomerase reverse transcriptase | TERT | Dry eye syndrome |
| | | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| | | Vascular endothelial growth factor A | VEGFA | Dry eye syndrome |
| M073 | Emodin | Bile salt export pump | ABCB11 | Conjunctivitis |
| | | ATP-binding cassette sub-family C member 2 | ABCC2 | Conjunctivitis |
| | | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | C-C motif chemokine 2 | CCL2 | Dry eye syndrome |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| | | Cytochrome P450 1A2 | CYP1A2 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| | | Cytochrome P450 2E1 | CYP2E1 | Conjunctivitis |
| | | Epidermal growth factor receptor | EGFR | Dry eye syndrome |
| | | Estrogen receptor | ESR1 | Dry eye syndrome |
| | | Intercellular adhesion molecule 1 | ICAM1 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-10 | IL10 | Dry eye syndrome, Conjunctivitis |
| | | Interleukin-13 | IL13 | Dry eye syndrome |
| | | Interleukin-17A | IL17A | Dry eye syndrome |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-4 | IL4 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| | | Matrix metalloproteinase-9 | MMP9 | Dry eye syndrome |
| | | Myeloperoxidase | MPO | Dry eye syndrome |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Toll-like receptor 4 | TLR4 | Dry eye syndrome |
| | | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| | | UDP-glucuronosyltransferase 1A1 | UGT1A1 | Dry eye syndrome |
| | | UDP-glucuronosyltransferase 2B4 | UGT2B4 | Conjunctivitis |
| | | UDP-glucuronosyltransferase 2B7 | UGT2B7 | Conjunctivitis |

| Mol ID | Molecular name | Target name | Gene name | Disease name | | |
|--|----------------|--|-----------|--|--------|----------------|
| M074 | Physcion | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis | | |
| | | Calmodulin-1 | CALM1 | Conjunctivitis | | |
| | | Cytochrome P450 1A2 | CYP1A2 | Conjunctivitis | | |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis | | |
| | | Cytochrome P450 2C9 | CYP2C9 | Dry eye syndrome, Conjunctivitis | | |
| | | Cytochrome P450 2E1 | CYP2E1 | Conjunctivitis | | |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis | | |
| | | Interleukin-10 | IL10 | Dry eye syndrome, Conjunctivitis | | |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome | | |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis | | |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis | | |
| | | Nitric oxide synthase, endothelial | NOS3 | Dry eye syndrome | | |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis | | |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis | | |
| | | Toll-like receptor 4 | TLR4 | Dry eye syndrome | | |
| | | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis | | |
| | | Tumor necrosis factor receptor superfamily member 1A | TNFRSF1A | Dry eye syndrome | | |
| | | DNA topoisomerase 2-alpha | TOP2A | Conjunctivitis | | |
| | | M085 | Rhein | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | | | Arachidonate 5-lipoxygenase | ALOX5 | Conjunctivitis |
| Cytochrome P450 1A2 | CYP1A2 | | | Conjunctivitis | | |
| Cytochrome P450 2C9 | CYP2C9 | | | Dry eye syndrome, Conjunctivitis | | |
| Cytochrome P450 2D6 | CYP2D6 | | | Conjunctivitis | | |
| Cytochrome P450 2E1 | CYP2E1 | | | Conjunctivitis | | |
| Heat shock protein HSP 90-alpha | HSP90AA1 | | | Conjunctivitis | | |
| Intercellular adhesion molecule 1 | ICAM1 | | | Dry eye syndrome, Conjunctivitis | | |
| Interleukin-1 beta | IL1B | | | Dry eye syndrome | | |
| Interleukin-6 | IL6 | | | Dry eye syndrome, Conjunctivitis | | |
| 72 kDa type IV collagenase | MMP2 | | | Dry eye syndrome | | |
| Nitric oxide synthase, inducible | NOS2 | | | Conjunctivitis | | |
| Peroxisome proliferator-activated receptor gamma | PPARG | | | Dry eye syndrome | | |
| Prostaglandin G/H synthase 1 | PTGS1 | | | Cataract, Conjunctivitis | | |
| Prostaglandin G/H synthase 2 | PTGS2 | | | Cataract, Conjunctivitis | | |
| Protein S100-B | S100B | | | Conjunctivitis | | |
| Transcription factor 4 | TCF4 | | | Dry eye syndrome | | |
| Telomerase reverse transcriptase | TERT | | | Dry eye syndrome | | |
| Transforming growth factor beta-1 proprotein | TGFB1 | | | Dry eye syndrome | | |
| Tumor necrosis factor | TNF | | | Dry eye syndrome, Conjunctivitis | | |
| Transthyretin | TTR | | | Dry eye syndrome, Conjunctivitis | | |
| Vascular endothelial growth factor A | VEGFA | | | Dry eye syndrome | | |
| | | | | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis |

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|--------|----------------------------|--|-----------|----------------------------------|
| M086 | Torolactone | Calmodulin-1 | CALM1 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| | | Estrogen receptor | ESR1 | Dry eye syndrome |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| M108 | Rubrofusarin gentiobioside | Fatty acid synthase | FASN | Dry eye syndrome |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| M109 | Rubrofusarin | ATP-dependent translocase ABCB1 | ABCB1 | Dry eye syndrome, Conjunctivitis |
| | | Multidrug resistance-associated protein | ABCC1 | Conjunctivitis |
| | | Broad substrate specificity ATP-binding cassette transporter ABCG2 | ABCG2 | Conjunctivitis |
| | | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | Arachidonate 5-lipoxygenase | ALOX5 | Conjunctivitis |
| | | Calmodulin-1 | CALM1 | Conjunctivitis |
| | | Cytochrome P450 1A1 | CYP1A1 | Conjunctivitis |
| | | Cytochrome P450 1B1 | CYP1B1 | Dry eye syndrome, Conjunctivitis |
| | | Cytochrome P450 2C8 | CYP2C8 | Conjunctivitis |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| M114 | Aurantio-obtusin | Calmodulin-1 | CALM1 | Conjunctivitis |
| | | C-C motif chemokine 2 | CCL2 | Dry eye syndrome |
| | | Interleukin-1 beta | IL1B | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |
| | | Peroxisome proliferator-activated receptor gamma | PPARG | Dry eye syndrome |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| M117 | Obtusin | Tumor necrosis factor | TNF | Dry eye syndrome, Conjunctivitis |
| | | Calmodulin-1 | CALM1 | Conjunctivitis |
| | | Amine oxidase [flavin-containing] A | MAOA | Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | DNA topoisomerase 2-alpha | TOP2A | Conjunctivitis |
| | | Estrogen receptor | ESR1 | Dry eye syndrome |
| | | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |
| | | Nitric oxide synthase, inducible | NOS2 | Conjunctivitis |

| Mol ID | Molecular name | Target name | Gene name | Disease name |
|---------------|-------------------------|--|------------------|----------------------------------|
| M123 | Isotaloralactone | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |
| | | Proto-oncogene serine/threonine-protein kinase Pim-1 | RAF1 | Dry eye syndrome |
| M126 | Obtusifolin 2-glucoside | Aldo-keto reductase family 1 member | AKR1B1 | Cataract |
| | | Interleukin-2 | IL2 | Dry eye syndrome |
| | | Interleukin-6 | IL6 | Dry eye syndrome, Conjunctivitis |
| | | GTPase NRas | NRAS | Dry eye syndrome |
| | | Transcription factor 4 | TCF4 | Dry eye syndrome |
| | | Cellular tumor antigen p53 | TP53 | Dry eye syndrome |
| | | Tyrosinase | TYR | Dry eye syndrome, Conjunctivitis |
| | | Vascular endothelial growth factor A | VEGFA | Dry eye syndrome |
| M129 | Quinizarin | Heat shock protein HSP 90-alpha | HSP90AA1 | Conjunctivitis |
| | | Amine oxidase [flavin-containing] B | MAOB | Conjunctivitis |
| | | Prostaglandin G/H synthase 1 | PTGS1 | Cataract, Conjunctivitis |
| | | Prostaglandin G/H synthase 2 | PTGS2 | Cataract, Conjunctivitis |